



chain nodes :
7 8 9 10 11 12 14
ring nodes :
1 2 3 4 5
chain bonds :
2-8 3-7 7-9 7-10 8-14 10-11 10-12
ring bonds :
1-2 1-5 2-3 3-4 4-5
exact/norm bonds :
1-2 1-5 2-3 2-8 3-4 3-7 4-5 7-9 7-10 8-14 10-11 10-12

G1:O,S

G2:Cb,Cy,Hy,Ak

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 14:CLASS

L1 STRUCTURE UPLOADED

=> d
L1 HAS NO ANSWERS
L1 STR



G1 O,S

G2 Cb,Cy,Hy,Ak

Structure attributes must be viewed using STN Express query preparation.

```
=> s l1 full
FULL SEARCH INITIATED 14:56:02 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      718 TO ITERATE

100.0% PROCESSED      718 ITERATIONS                          113 ANSWERS
SEARCH TIME: 00.00.01

L2          113 SEA SSS FUL L1

=> d l2 1-10
```

L2 ANSWER 1 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 909011-38-7 REGISTRY
ED Entered STN: 28 Sep 2006
CN 2-Thiophenecarboxylic acid, 5-bromo-3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)
MF C11 H12 Br N O5 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 2 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 909011-36-5 REGISTRY
ED Entered STN: 28 Sep 2006
CN 2-Thiophenecarboxylic acid, 3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-5-(4-fluorophenyl)-, methyl ester (9CI) (CA INDEX NAME)
MF C17 H16 F N O5 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 3 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 909011-18-3 REGISTRY
ED Entered STN: 28 Sep 2006
CN 2-Thiophenecarboxylic acid, 4-bromo-3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)
MF C11 H12 Br N O5 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 4 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 893653-02-6 REGISTRY
ED Entered STN: 17 Jul 2006
CN INDEX NAME NOT YET ASSIGNED
MF C24 H30 N2 O6 S
SR Chemical Library
Supplier: Princeton BioMolecular Research, Inc.
LC STN Files: CHEMCATS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

L2 ANSWER 5 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-20-7 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-[cyano[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C26 H30 Cl N5 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 6 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-19-4 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-[[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C25 H31 Cl N4 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 7 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-18-3 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-[cyano[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C26 H30 Cl N5 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 8 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-17-2 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-[[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C25 H31 Cl N4 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 9 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-01-4 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2-Thiophenecarboxylic acid, 3-[[(5-chloro-2-pyridinyl)amino]carbonyl]- (9CI) (CA INDEX NAME)
MF C11 H7 Cl N2 O3 S
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L2 ANSWER 10 OF 113 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890051-86-2 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-(2-imino-3-oxazolidinyl)phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)
MF C20 H16 Cl N5 O3 S . x C H4 O3 S
SR CA
LC STN Files: CA, CAPLUS

CM 1

CRN 890051-85-1
CMF C20 H16 Cl N5 O3 S



CM 2

CRN 75-75-2
CMF C H4 O3 S

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

```
=> file caplus
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                       192.05     192.26

FILE 'CAPLUS' ENTERED AT 14:56:20 ON 01 MAR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 1 Mar 2007  VOL 146 ISS 10
FILE LAST UPDATED: 28 Feb 2007  (20070228/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l2
L3          32 L2

=> file reg
COST IN U.S. DOLLARS                                    SINCE FILE      TOTAL
                                                           ENTRY    SESSION
FULL ESTIMATED COST                                         0.47     192.73

FILE 'REGISTRY' ENTERED AT 14:57:01 ON 01 MAR 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES:   28 FEB 2007  HIGHEST RN 923894-67-1
DICTIONARY FILE UPDATES:  28 FEB 2007  HIGHEST RN 923894-67-1

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

  Please note that search-term pricing does apply when
  conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document.  For information
on property searching in REGISTRY, refer to:
```

http://www.cas.org/ONLINE/UG/regprops.html

=>
Uploading C:\Program Files\Stnexp\Queries\10736742a.str





chain nodes :
7 8 9 10 11 12 14
ring nodes :
1 2 3 4 5
chain bonds :
2-8 3-7 7-9 7-10 8-14 10-11 10-12
ring bonds :
1-2 1-5 2-3 3-4 4-5
exact/norm bonds :
1-2 1-5 2-3 2-8 3-4 3-7 4-5 7-9 7-10 8-14 10-11 10-12
isolated ring systems :
containing 1 :

G1:O,S

G2:Cb,Cy,Hy,Ak

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS
11:CLASS 12:CLASS 14:CLASS

L4 STRUCTURE UPLOADED

=> d
L4 HAS NO ANSWERS
L4 STR



G1 O,S

G2 Cb,Cy,Hy,Ak

Structure attributes must be viewed using STN Express query preparation.

=> s l4 full
FULL SEARCH INITIATED 14:57:23 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED - 718 TO ITERATE

100.0% PROCESSED 718 ITERATIONS 83 ANSWERS
SEARCH TIME: 00.00.01

L5 83 SEA SSS FUL L4

=> d l5 1-12

L5 ANSWER 1 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 909011-38-7 REGISTRY
ED Entered STN: 28 Sep 2006
CN 2-Thiophenecarboxylic acid, 5-bromo-3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)
MF C11 H12 Br N O5 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 2 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 909011-36-5 REGISTRY
ED Entered STN: 28 Sep 2006
CN 2-Thiophenecarboxylic acid, 3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-5-(4-fluorophenyl)-, methyl ester (9CI) (CA INDEX NAME)
MF C17 H16 F N O5 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 3 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 909011-18-3 REGISTRY
ED Entered STN: 28 Sep 2006
CN 2-Thiophenecarboxylic acid, 4-bromo-3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)
MF C11 H12 Br N O5 S
SR CA
LC STN Files: CA, CAPLUS, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 4 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-20-7 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-[cyano[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C26 H30 Cl N5 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 5 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-19-4 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-[[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C25 H31 Cl N4 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 6 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-18-3 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-[cyano[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C26 H30 Cl N5 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 7 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-17-2 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-[[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)
MF C25 H31 Cl N4 O3 S Si
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 8 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890052-01-4 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2-Thiophenecarboxylic acid, 3-[[(5-chloro-2-pyridinyl)amino]carbonyl]- (9CI) (CA INDEX NAME)
MF C11 H7 Cl N2 O3 S
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 9 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890051-86-2 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-(2-imino-3-oxazolidinyl)phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)
MF C20 H16 Cl N5 O3 S . x C H4 O3 S
SR CA
LC STN Files: CA, CAPLUS

CM 1

CRN 890051-85-1
CMF C20 H16 Cl N5 O3 S



CM 2

CRN 75-75-2
CMF C H4 O3 S

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 10 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890051-85-1 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-(2-imino-3-oxazolidinyl)phenyl]- (9CI) (CA INDEX NAME)
MF C20 H16 Cl N5 O3 S
CI COM
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 11 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890051-84-0 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-(2-imino-3-oxazolidinyl)phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)
MF C20 H16 Cl N5 O3 S . x C H4 O3 S
SR CA
LC STN Files: CA, CAPLUS

CM 1

CRN 890051-83-9
CMF C20 H16 Cl N5 O3 S



CM 2

CRN 75-75-2
CMF C H4 O3 S

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

L5 ANSWER 12 OF 83 REGISTRY COPYRIGHT 2007 ACS on STN
RN 890051-83-9 REGISTRY
ED Entered STN: 29 Jun 2006
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-(2-imino-3-oxazolidinyl)phenyl]- (9CI) (CA INDEX NAME)
MF C20 H16 Cl N5 O3 S
CI COM
SR CA
LC STN Files: CA, CAPLUS



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus
COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	195.95	388.68

FILE 'CAPLUS' ENTERED AT 14:58:21 ON 01 MAR 2007

FILE COVERS 1907 - 1 Mar 2007 VOL 146 ISS 10
FILE LAST UPDATED: 28 Feb 2007 (20070228/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l5

L6 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2006:919505 CAPLUS
DOCUMENT NUMBER: 145:314973
TITLE: Preparation of thienopyridine carboxamides as hypoxia inducible factor (HIF) modulators
INVENTOR(S): Turtle, Eric D.; Flippin, Lee A.; Arend, Michael P.; Cheng, Heng
PATENT ASSIGNEE(S): Fibrogen, Inc., USA
SOURCE: U.S. Pat. Appl. Publ., 44pp.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2006199836	A1	20060907	US 2006-367969	20060302
WO 2006094292	A2	20060908	WO 2006-US8117	20060302
WO 2006094292	A3	20061228		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: US 2005-658131P P 20050302
OTHER SOURCE(S): MARPAT 145:314973
GI



I



II

AB Title compds. I [wherein q = 0 or 1; one of X and Y is S, and the other is CR7; R1 = OH, (un)substituted alkoxy, aryloxy, etc.; R2 = H, D or Me; R3 = H, D or (un)substituted alkyl; R4 = H or (un)substituted alkyl; R5 = H, halo, (un)substituted alkyl, etc.; R6, R7 = H, OH, halo, etc.] and pharmaceutically acceptable salts, single stereoisomers, mixts. of

L6 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



L6 ANSWER 1 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
stereoisomers, esters, and prodrugs thereof, which are capable of modulating the stability and/or activity of hypoxia inducible factor (HIF) (no data), were prepd. For instance, II was synthesized by condensation of the corresponding Bu ester with glycine in the presence of sodium methoxide in methanol. I were reported to be active in several biol. assays (no data). The invented compds. and their pharmaceutical compns. are useful for the treatment and prevention of disorders mediated at least in part by hypoxia inducible factor (HIF) and/or erythropoietin (EPO), such as anemia.

IT 909011-38-7
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of thienopyridine carboxamides as hypoxia inducible factor (HIF) modulators)
RN 909011-38-7 CAPLUS
CN 2-Thiophenecarboxylic acid, 5-bromo-3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)



IT 909011-18-3P 909011-36-5P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of thienopyridine carboxamides as hypoxia inducible factor (HIF) modulators)
RN 909011-18-3 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-bromo-3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-, methyl ester (9CI) (CA INDEX NAME)



RN 909011-36-5 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2-ethoxy-2-oxoethyl)amino]carbonyl]-5-(4-fluorophenyl)-, methyl ester (9CI) (CA INDEX NAME)

L6 ANSWER 2 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2006:542131 CAPLUS
DOCUMENT NUMBER: 145:46051
TITLE: Preparation of 2-imino-3-phenyloxazolidines and related compounds for the treatment of thromboembolic diseases
INVENTOR(S): Roehrig, Susanne; Pohlmann, Jens; Arndt, Sabine; Jeske, Mario; Akbaba, Metin; Perzborn, Elisabeth; Gerdes, Christoph; Schlemmer, Karl-Heinz; Tuch, Arounarith; Lobell, Mario; Nell, Peter; Burkhardt, Nils
PATENT ASSIGNEE(S): Bayer Healthcare AG, Germany
SOURCE: PCT Int. Appl., 91 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006058630	A1	20060608	WO 2005-EP12465	20051122

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

DE 102004058062	A1	20060608	DE 2004-102004058062	20041202
PRIORITY APPLN. INFO.:			DE 2004-102004058062A	20041202

OTHER SOURCE(S): MARPAT 145:46051
GI



I



II



III

AB Title compds. I [Y = (CH2)n; n = 1-3; R1 = H, alkyl, CN, etc.; R2, R3 = H, halo, CN, etc.; A = phenylene, 5 or 6-membered heteroaryl ring with provisos; Z = Ph, pyridyl, pyrimidinyl, etc.] and their pharmaceutically acceptable salts and formulations were prepared For example, methanesulfonic acid mediated cyclization of cyanoamine II afforded the methanesulfonic acid salt of claimed phenyloxazolidine III in 81% yield. In blood-coagulation factor Xa inhibition assays, 4-examples of compds. I exhibited IC50 values ranging 0.3-4.4 nM.

IT 890051-83-9P 890051-84-0P 890051-85-1P
890051-86-2P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 2-imino-3-phenyloxazolidines and related compds. for the treatment of thromboembolic diseases)

RN 890051-83-9 CAPLUS
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-(2-imino-3-oxazolidinyl)phenyl]- (9CI) (CA INDEX NAME)



RN 890051-84-0 CAPLUS
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-(2-imino-3-oxazolidinyl)phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 890051-83-9
CMF C20 H16 Cl N5 O3 S



CM 2

CRN 75-75-2
CMF C H4 O3 S

RN 890051-85-1 CAPLUS
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-(2-imino-3-oxazolidinyl)phenyl]- (9CI) (CA INDEX NAME)



RN 890051-86-2 CAPLUS
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-(2-imino-3-oxazolidinyl)phenyl]-, methanesulfonate (9CI) (CA INDEX NAME)

CM 1

CRN 890051-85-1
CMF C20 H16 Cl N5 O3 S



CM 2

CRN 75-75-2
CMF C H4 O3 S

IT 890052-01-4P 890052-17-2P 890052-18-3P
890052-19-4P 890052-20-7P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of 2-imino-3-phenyloxazolidines and related compds. for the treatment of thromboembolic diseases)

RN 890052-01-4 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(5-chloro-2-pyridinyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 890052-17-2 CAPLUS
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-[[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 890052-18-3 CAPLUS
CN 2,3-Thiophenedicarboxamide, N3-(5-chloro-2-pyridinyl)-N2-[4-[cyano[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 890052-19-4 CAPLUS
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-[[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)



RN 890052-20-7 CAPLUS
CN 2,3-Thiophenedicarboxamide, N2-(5-chloro-2-pyridinyl)-N3-[4-[cyano[2-[[(1,1-dimethylethyl)dimethylsilyl]oxy]ethyl]amino]phenyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 3 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2006:381034 CAPLUS
DOCUMENT NUMBER: 144:432826
TITLE: Preparation of thieno-fused ring heterocycle compounds via cyclization reaction as antitumor agents
INVENTOR(S): Ward, John; Jain, Rama; James, Donald; Verheij, Herman J.; Schultz, Jan C. C.
PATENT ASSIGNEE(S): Compass Pharmaceuticals LLC, USA
SOURCE: PCT Int. Appl., 130 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006044826	A2	20060427	WO 2005-US37307	20051018
WO 2006044826	A3	20060921		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

PRIORITY APPLN. INFO.: US 2004-620615P P 20041020
OTHER SOURCE(S): MARPAT 144:432826
GI



AB Thieno-fused ring heterocycle I, wherein W is carbon, nitrogen; R and W together with the carbons which they are attached form a 5-14 membered aryl, heteroaryl, cycloalkyl, heterocycloalkyl ring; Y is substituted amine, amide, NO2; X is substituted amine, amide, carboxylate, CH=CH-COOR'; R' is H, alkyl; X and Y together with the carbons which they are attached form heterocycle, were prepared for treating tumors. Thus, thiophene II was prepared via cyclization of cyclo-heptanone with t-BuO(CO)CH2CN and sulfur in EtOH at 45 °C and tested in vitro as antitumor agent against ovary, sarcoma, and lung tumors (IC50 =

0.0142-21.7 μM). Examples of specific tumor types that the compds. may be used to treat include, but are not limited to sarcoma, melanoma, neuroblastoma, carcinoma (including but not limited to lung, renal cell, ovarian, liver, bladder, and pancreatic carcinoma), and mesothelioma.

IT 352702-07-9P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of thieno-fused ring heterocycle compds. via cyclization reaction as antitumor agents)

RN 352702-07-9 CAPLUS
CN 2,3-Thiophenedicarboxamide, 4-bromo-N,N'-bis(phenylmethyl)- (9CI) (CA INDEX NAME)



L6 ANSWER 4 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2006:87597 CAPLUS
DOCUMENT NUMBER: 144:304503
TITLE: Dual Binding Mode of a Novel Series of DHODH Inhibitors
AUTHOR(S): Baumgartner, Roland; Walloschek, Markus; Kralik, Martin; Gotschlich, Astrid; Tasler, Stefan; Mies, Jan; Leban, Johann
CORPORATE SOURCE: 4SC AG, Martinsried, 82152, Germany
SOURCE: Journal of Medicinal Chemistry (2006), 49(4), 1239-1247
CODEN: JMCMAR; ISSN: 0022-2623
PUBLISHER: American Chemical Society
DOCUMENT TYPE: Journal
LANGUAGE: English

AB Human dihydroorotate dehydrogenase (DHODH) represents an important target for the treatment of hyperproliferative and inflammatory diseases. In the cell DHODH catalyzes the rate-limiting step of the de novo pyrimidine biosynthesis. DHODH inhibition results in beneficial immunosuppressant and antiproliferative effects in diseases such as rheumatoid arthritis. Here, we present high-resolution X-ray structures of human DHODH in complex with a novel class of low mol. weight compds. that inhibit the enzyme in the nanomolar range. Some compds. showed an interesting dual binding mode within the same cocrystal strongly depending on the nature of chemical substitution. Measured in vitro activity data correlated with the prevailing mode of binding and explained the observed structure-activity relationship. Addnl., the X-ray data confirmed the competitive nature of the inhibitors toward the putative ubiquinone binding site and will guide structure-based design and synthesis of mols. with higher activity.

IT 717142-75-1 717142-76-2
RL: PAC (Pharmacological activity); PRP (Properties); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(dual binding mode of novel series of DHODH inhibitors)

RN 717142-75-1 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[3-fluoro-3'-methoxy[1,1'-biphenyl]-4-yl]amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-76-2 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[3,5-difluoro-3'-(trifluoromethoxy)[1,1'-biphenyl]-4-yl]amino]carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 4 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



REFERENCE COUNT: 36 THERE ARE 36 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 5 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2005:1251585 CAPLUS
DOCUMENT NUMBER: 144:150196
TITLE: Biphenyl-4-ylcarbamoyl thiophenecarboxylic acids as potent DHODH inhibitors
AUTHOR(S): Leban, Johann; Kralik, Martin; Mies, Jan; Baumgartner, Roland; Gassen, Michael; Tasler, Stefan
CORPORATE SOURCE: 4SC AG, Martinsried, 82152, Germany
SOURCE: Bioorganic & Medicinal Chemistry Letters (2006), 16(2), 267-270
CODEN: BMCLE8; ISSN: 0960-894X
PUBLISHER: Elsevier B.V.
DOCUMENT TYPE: Journal
LANGUAGE: English
OTHER SOURCE(S): CASREACT 144:150196
GI



I

AB A previously discovered dihydroorotate dehydrogenase (DHODH) inhibitor series was further improved by replacing the cyclopentene ring by aromatic heterocycles. Different isomers of these compds., e.g. I (R1 = R2 = HO2C, R3 = H; R1 = R3 = HO2C, R2 = H; R1 = H, R2 = R3 = HO2C), were prepared by the directed ortho-metalation procedure. The compds. are more active than the corresponding cyclopentene analogs and show potent effects on periferal blood mononuclear cell (PBMC) proliferation.

IT 717142-61-5 717142-62-6 717142-64-8
717142-67-1 717142-71-7
RL: PAC (Pharmacological activity); BIOL (Biological study)
(preparation and biol. evaluation of biphenylcarbamoyl thiophene- and furancarboxylic acids as dihydroorotate dehydrogenase inhibitors and periferal blood mononuclear cell antiproliferative agents)

RN 717142-61-5 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[([1,1'-biphenyl]-4-ylamino)carbonyl]- (9CI) (CA INDEX NAME)



L6 ANSWER 5 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
RN 717142-62-6 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2'-ethoxy-3,5-difluoro[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-64-8 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(3'-ethoxy-3,5-difluoro[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-67-1 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2,3,5,6-tetrafluoro-2'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-71-7 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2-chloro-2'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



IT 717142-75-1P 873843-81-3P 873843-82-4P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)
(preparation and biol. evaluation of biphenylcarbamoyl thiophene- and furancarboxylic acids as dihydroorotate dehydrogenase inhibitors and periferal blood mononuclear cell antiproliferative agents)
RN 717142-75-1 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(3-fluoro-3'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT



RN 873843-81-3 CAPLUS
CN 2,4-Thiophenedicarboxylic acid, 3-[[(3-fluoro-3'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 873843-82-4 CAPLUS
CN 2,5-Thiophenedicarboxylic acid, 3-[[(3-fluoro-3'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 6 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:878168 CAPLUS
DOCUMENT NUMBER: 141:360665
TITLE: Synergistic methods and compositions using insulin-like growth factor 1 receptor (IGF1R) inhibitors with additional kinase inhibitors for treating cancer
INVENTOR(S): Carboni, Joan M.; Hurlburt, Warren W.; Gottardis, Marco M.; Lee, Francis Y.
PATENT ASSIGNEE(S): USA
SOURCE: U.S. Pat. Appl. Publ., 66 pp., Cont.-in-part of U.S. Ser. No. 676,214.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004209930	A1	20041021	US 2004-814199	20040331
CA 2500714	A1	20040415	CA 2003-2500714	20031001
US 2004072760	A1	20040415	US 2003-677067	20031001
AU 2003275364	A1	20040423	AU 2003-275364	20031001
US 2004106605	A1	20040603	US 2003-676214	20031001
EP 1551411	A2	20050713	EP 2003-759640	20031001
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
JP 2006503867	T	20060202	JP 2004-541997	20031001
WO 2005094376	A2	20051013	WO 2005-US10820	20050330
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				

PRIORITY APPLN. INFO.:

US 2002-415416P	P	20021002
US 2003-676214	A2	20031001
US 2003-677067	A2	20031001
WO 2003-US31091	W	20031001
US 2004-814199	A	20040331

OTHER SOURCE(S): MARPAT 141:360665

AB Combination therapies using IGF1R inhibitors in combination with addnl. kinase inhibitors are described for the synergistic treatment of cancer.

IT 302959-65-5
RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)
(IGF1 receptor inhibitors with addnl. kinase inhibitors for synergistic treatment of cancer)
RN 302959-65-5 CAPLUS
CN 5-Thiazolecarboxamide, 2-[[(2-acetyl-3-thienyl)carbonyl]amino]-4-methyl-N-(2,4,6-trimethylphenyl)- (9CI) (CA INDEX NAME)

L6 ANSWER 6 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



L6 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:550947 CAPLUS
DOCUMENT NUMBER: 141:106361
TITLE: Preparation of aromatic compounds as anti-inflammatory, immunomodulatory and antiproliferative agents
INVENTOR(S): Leban, Johann; Tasler, Stefan
PATENT ASSIGNEE(S): 4SC A.-G., Germany
SOURCE: PCT Int. Appl., 40 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004056797	A1	20040708	WO 2003-EP14433	20031217
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
CA 2509139	A1	20040708	CA 2003-2509139	20031217
AU 2003293914	A1	20040714	AU 2003-293914	20031217
US 2004176458	A1	20040909	US 2003-736711	20031217
US 7071355	B2	20060704		
US 2004192758	A1	20040930	US 2003-736742	20031217
EP 1578741	A1	20050928	EP 2003-789317	20031217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
BR 2003017687	A	20051122	BR 2003-17687	20031217
CN 1732163	A	20060208	CN 2003-80107354	20031217
CN 1732147	A	20060208	CN 2003-80107355	20031217
JP 2006514023	T	20060427	JP 2004-561331	20031217
US 2007027193	A1	20070201	US 2004-736739	20041110
ZA 2005004387	A	20060222	ZA 2005-4387	20050530
IN 2005MN00815	A	20051111	IN 2005-MN815	20050722

PRIORITY APPLN. INFO.:		
	DE 2002-10260800	A 20021223
	US 2002-435258P	P 20021223
	US 2002-435285P	P 20021223
	US 2003-526992P	P 20031205
	WO 2003-EP14433	W 20031217

OTHER SOURCE(S): MARPAT 141:106361
GI

L6 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



I



II

AB Aromatic compds. of formula I [ring A = heteroarom.; X = S, O, N, (substituted) N, SO2, SO; D = O, S, SO2, (substituted) N, CH2; Z1, Z2 = O, S, (substituted) N; R = H, halo, OH, cycloalkyl, alkyl, etc.; R1 = H, alkyl; R2 = H, (substituted) OH, (substituted) NH, etc.; R3 = H, alkyl, cycloalkyl, aryl, etc.; E = alkyl, cycloalkyl, etc.; Y = H, halo, alkyl, etc.; m, n, p = 0-1; q = 0-3] are prepared as anti-inflammatory, immunomodulatory and antiproliferative agents. Thus, II was prepared Many of the prepared compds. had IC50 values of < 1μl against dihydroorotate dehydrogenase (DHODH).

IT 717142-61-5P 717142-62-6P 717142-64-8P
717142-65-9P 717142-67-1P 717142-68-2P
717142-69-3P 717142-71-7P 717142-73-9P
717142-75-1P 717142-76-2P 717142-77-3P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of biaryl thiophene- and furan-carboxylic acids as anti-inflammatory, immunomodulatory and antiproliferative agents)

RN 717142-61-5 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[1,1'-biphenyl]-4-ylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-62-6 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2'-ethoxy-3,5-difluoro[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 717142-64-8 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(3'-ethoxy-3,5-difluoro[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-65-9 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(3,5-difluoro-2',4'-dimethoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-67-1 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2,3,5,6-tetrafluoro-2'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-68-2 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2'-chloro-3,5-difluoro[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-69-3 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2',3,5-trifluoro[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-71-7 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(2-chloro-2'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-73-9 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[2,3,5,6-tetrafluoro-3'-(trifluoromethoxy)[1,1'-biphenyl]-4-yl]amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-75-1 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(3-fluoro-3'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-76-2 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[3,5-difluoro-3'-(trifluoromethoxy)[1,1'-biphenyl]-4-yl]amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 717142-77-3 CAPLUS
CN 2-Furancarboxylic acid, 3-[([1,1'-biphenyl]-4-ylamino)carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 7 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



REFERENCE COUNT: 15 THERE ARE 15 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 717824-37-8 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(3,5-difluoro-3'-methoxy[1,1'-biphenyl]-4-yl)amino]carbonyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 8 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:550931 CAPLUS
DOCUMENT NUMBER: 141:99739
TITLE: Dihydroorotate dehydrogenase (DHODH) inhibitors and method for their identification
INVENTOR(S): Leban, Johann; Kramer, Bernd; Baumgartner, Roland; Aulinger-Fuchs, Katharina; Tasler, Stefan
PATENT ASSIGNEE(S): 4SC A.-G., Germany
SOURCE: PCT Int. Appl., 357 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 3
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2004056747	A1	20040708	WO 2003-EP14435	20031217
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1541198	A1	20050615	EP 2003-28137	20031205
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
AU 2003300530	A1	20040714	AU 2003-300530	20031217
US 2004176458	A1	20040909	US 2003-736711	20031217
US 7071355	B2	20060704		
US 2004192758	A1	20040930	US 2003-736742	20031217
EP 1581478	A1	20051005	EP 2003-813575	20031217
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, SK				
US 2007027193	A1	20070201	US 2004-736739	20041110

PRIORITY APPLN. INFO.:

DE 2002-10260799	A	20021223
DE 2002-10260800	A	20021223
EP 2003-28137	A	20031205
US 2002-435258P	P	20021223
US 2002-435285P	P	20021223
US 2003-526992P	P	20031205
WO 2003-EP14435	W	20031217

OTHER SOURCE(S): MARPAT 141:99739

AB The present invention relates to compds. containing non-aromatic ring systems or heteroarom. ring systems, which are capable of binding to the ubiquinone binding site of DHODH. Methods for identification of such compds. are also disclosed.

IT 717142-76-2D, complexes with dihydroorotate dehydrogenase
717824-37-8D, complexes with dihydroorotate dehydrogenase
RL: PRP (Properties)
(dihydroorotate dehydrogenase inhibitors and inhibitor identification method)

RN 717142-76-2 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[3,5-difluoro-3'-(trifluoromethoxy)[1,1'-biphenyl]-4-yl]amino]carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 9 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2004:220082 CAPLUS
DOCUMENT NUMBER: 140:253556
TITLE: Preparation of 5-thiazolecarboxamides as protein tyrosine kinase inhibitors
INVENTOR(S): Das, Jagabandhu; Padmanabha, Ramesh; Chen, Ping; Norris, Derek J.; Doweyko, Arthur M. P.; Barrish, Joel C.; Wityak, John; Lombardo, Louis J.; Lee, Francis Y. F.
PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA
SOURCE: U.S. Pat. Appl. Publ., 184 pp., Cont.-in-part of U.S. 6,596,746.
CODEN: USXXCO
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 2004054186	A1	20040318	US 2003-395503	20030324
US 7125875	B2	20061024		
US 6596746	B1	20030722	US 2000-548929	20000413
US 2004024208	A1	20040205	US 2003-378372	20030303
US 6979694	B2	20051227		
US 2004073026	A1	20040415	US 2003-378461	20030303
US 7091223	B2	20060815		
US 2004077875	A1	20040422	US 2003-378373	20030303
AU 2004223828	A1	20041007	AU 2004-223828	20040323
CA 2519898	A1	20041007	CA 2004-2519898	20040323
WO 2004085388	A2	20041007	WO 2004-US8827	20040323
WO 2004085388	A3	20050630		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1610780	A2	20060104	EP 2004-758053	20040323
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, HU, PL, SK				
BR 2004008782	A	20060328	BR 2004-8782	20040323
CN 1764454	A	20060426	CN 2004-80007845	20040323
JP 2006523216	T	20061012	JP 2006-507475	20040323
US 2005261305	A1	20051124	US 2005-138793	20050525
US 2005288303	A1	20051229	US 2005-138942	20050526
US 7153856	B2	20061226		
NO 2005004359	A	20051019	NO 2005-4359	20050920
US 2006079563	A1	20060413	US 2005-271626	20051110

PRIORITY APPLN. INFO.:

US 1999-129510P	P	19990415
US 2000-548929	A2	20000413
US 2003-378373	A1	20030303
US 2003-395503	A	20030324
WO 2004-US8827	W	20040323

OTHER SOURCE(S): MARPAT 140:253556

GI



I



II

AB The title compds. [I; Q = (un)substituted 5-6 membered heteroaryl, aryl; Z = a single bond, R15C:CH, (CH2)m (m = 1-2); X1, X2 = H; X1 and X2 together = O, S; R1 = H, alkyl, alkenyl, etc.; R2, R3 = H, alkyl, alkenyl, etc.; R4, R5 = H, alkyl, alkenyl, etc.], useful in the treatment of protein tyrosine kinase-associated disorders such as immunol. and oncol. disorders (no data), were prepared E.g., a multi-step synthesis of thiazole II was given. Compds. I are effective at 0.1-100 mg/kg/day. The pharmaceutical composition comprising the title compds. is claimed.

IT 302959-65-5P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 5-thiazolecarboxamides as protein tyrosine kinase inhibitors)

RN 302959-65-5 CAPLUS

CN 5-Thiazolecarboxamide, 2-[[(2-acetyl-3-thienyl)carbonyl]amino]-4-methyl-N-(2,4,6-trimethylphenyl)- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 149 THERE ARE 149 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

ACCESSION NUMBER: 2003:58069 CAPLUS
DOCUMENT NUMBER: 138:122639
TITLE: Preparation of thiazols and related compounds as telomerase inhibitors
INVENTOR(S): Priepke, Henning; Kauffmann-Hefner, Iris; Hauel, Norbert; Damm, Klaus; Schnapp, Andreas
PATENT ASSIGNEE(S): Boehringer Ingelheim Pharma K.-G., Germany
SOURCE: PCT Int. Appl., 88 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.		DATE
WO 2003006443	A2	20030123	WO 2002-EP7558		20020706
WO 2003006443	A3	20030501			
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW					
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG					
DE 10133665	A1	20030130	DE 2001-10133665		20010711
US 2003055263	A1	20030320	US 2002-192456		20020710
PRIORITY APPLN. INFO.:			DE 2001-10133665	A	20010711
			US 2001-307449P	P	20010724

OTHER SOURCE(S): MARPAT 138:122639

GI



II



III

AB Title compds. R1-A-B-R2 (I) [R1 = (un)substituted Ph, phenylalkyl, phenylalkenyl, etc.; A = (un)substituted phenylalkyl; B = HN, NHCO, CONH, etc.; R2 = CO2, (un)substituted cycloalkyl, cycloalkenyl, etc.] and their pharmaceutically acceptable salts were prepared For example, coupling of thiazol II and phthalic anhydride afforded claimed benzoic acid III in 30% yield. In telomerase inhibition studies, 3-specific examples of I exhibited IC50 values ranging from < 1 - < 5 μM, e.g., IC50 value of compound III was < 5 μM. Compds. I are claimed useful as telomerase inhibitors.

IT 488816-11-1P
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(drug candidate; prepn. of thiazols and related compds. as telomerase inhibitors)

RN 488816-11-1 CAPLUS

CN 2-Thiophenecarboxylic acid, 3-[[[4-(2-naphthalenyl)-2-thiazolyl]amino]carbonyl]- (9CI) (CA INDEX NAME)



L6 ANSWER 11 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2002:237356 CAPLUS
DOCUMENT NUMBER: 136:263090
TITLE: Preparation of cyclic amine derivatives for inhibition of the action of chemokines such as MIP-1α and/or MCP-1 on target cells
INVENTOR(S): Shiota, Tatsuki; Kataoka, Ken-Ichiro; Imai, Minoru; Tsutsumi, Takaharu; Sudoh, Masaki; Sogawa, Ryo; Morita, Takuya; Hada, Takahiko; Muroga, Yumiko; Takenouchi, Osami; Furuya, Minoru; Endo, Noriaki; Tarby, Christine M.; Moree, Wilna; Teig, Steven
PATENT ASSIGNEE(S): Teijin Limited, Japan; Dupont Pharmaceuticals Research Laboratories
SOURCE: U.S., 364 pp., Cont. of U.S. Ser. No. 554,562.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6362177	B1	20020326	US 2001-905078	20010716
US 6451842	B1	20020917	US 2000-554562	20000516
US 6410566	B1	20020625	US 2001-905077	20010716
PRIORITY APPLN. INFO.:			US 2000-554562	A3 20000516
			US 1997-972484	B1 19971118
			US 1998-55285	B1 19980406
			US 1998-133434	B1 19980813
			WO 1998-US23254	W 19981117

OTHER SOURCE(S): MARPAT 136:263090
GI



I



II

AB The title compds. [I; R1 = (un)substituted Ph, cycloalkyl, heteroaryl, etc.; R2 = H, alkyl, alkoxycarbonyl, etc.; j = 0-2; k = 0-2; m = 3-4 and k+m = 5 or 6; n = 0-1; R3 = H, alkyl; R4, R5 = H, OH, Ph, etc.; p, q = 0-1; G = CO, SO, CO2, etc.; R6 = Ph, cycloalkyl, cycloalkenyl, etc.] and their pharmaceutically acceptable acid addition salts which inhibit the action of chemokines such as MIP-1α and/or MCP-1 on target cells and

PAGE 2-A



RN 226232-26-4 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-1-methyl-2-oxoethyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 226232-88-8 CAPLUS

may be useful as a therapeutic drug and/or preventative drug in diseases, such as atherosclerosis, rheumatoid arthritis, and the like where blood monocytes and lymphocytes infiltrate into tissues, were prepd. Thus, reaction of N-benzoylglycine with 3-amino-1-(4-chlorobenzyl)pyrrolidine.2HCl in the presence of 3-ethyl-1-[3-(dimethylaminopropyl)]carbodiimide.HCl, 1-hydroxybenzotriazole and Et3N in CHCl3 afforded 95% II which showed 50-80% inhibition of MIP-1α binding to THP-1 cells at 10 μM.

IT 226231-48-7P, 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-2-oxoethyl]-
226232-26-4P, 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-1-methyl-2-oxoethyl]-
226232-88-8P, 3-Thiophenecarboxamide, 2-acetyl-N-[1-[[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]carbonyl]-2-methylpropyl]-
226250-84-6P, 3-Thiophenecarboxamide, 2-acetyl-N-[1-[[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]carbonyl]-2-methylpropyl]-, mono(trifluoroacetate)
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of cyclic amine derivs. for inhibition of action of chemokines
such as MIP-1α and/or MCP-1 on target cells)

RN 226231-48-7 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]carbonyl]-2-methylpropyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 226250-84-6 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]carbonyl]-2-methylpropyl]-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 226232-88-8
CMF C25 H32 Cl N3 O3 S

L6 ANSWER 11 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 1-A



PAGE 2-A



CM 2

CRN 76-05-1
CMF C2 H F3 O2

REFERENCE COUNT: 24 THERE ARE 24 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 12 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 2001:12413 CAPLUS
DOCUMENT NUMBER: 134:71497
TITLE: Preparation of heterocyclic dicarboxylic acid diamide derivatives as agricultural and horticultural insecticides
INVENTOR(S): Katsuhira, Takeshi; Furuya, Takashi; Gotoh, Makoto; Tohnishi, Masanori; Takaishi, Hideo; Sakata, Kazuyuki; Morimoto, Masayuki; Seo, Akira
PATENT ASSIGNEE(S): Nihon Nohyaku Co., Ltd., Japan
SOURCE: PCT Int. Appl., 160 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2001000575	A1	20010104	WO 2000-JP4136	20000623
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
BR 2000011818	A	20020319	BR 2000-11818	20000623
EP 1188745	A1	20020320	EP 2000-940823	20000623
EP 1188745	B1	20061220		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, CY				
HU 200201555	A2	20020828	HU 2002-1555	20000623
AU 761273	B2	20030529	AU 2000-55689	20000623
AT 348804	T	20070115	AT 2000-940823	20000623
JP 2001064258	A	20010313	JP 2000-191500	20000626
ZA 2001010006	A	20030205	ZA 2001-10006	20011205
US 6747041	B1	20040608	US 2002-18463	20020410
PRIORITY APPLN. INFO.:			JP 1999-179035 A	19990624
			WO 2000-JP4136 W	20000623

OTHER SOURCE(S): MARPAT 134:71497
GI

L6 ANSWER 12 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



I



II

AB The title compds. I [R1, R2 and R3 represent each H, optionally halogenated C3-6 cycloalkyl, etc.; Het represents a 5- or 6-membered heterocycle; X and Y represent each halocyano, nitro, optionally halogenated C3-6 cycloalkyl, optionally substituted Ph, an optionally substituted heterocycle, etc; n is from 0 to 3; m is from 1 to 5; Z1 and Z2 represent each O or S; and B1 to B4 represent each C or N] are prepared. I have an excellent controlling effect on pest insects such as diamond-back moth (Plutella xylostella) and tobacco cutworm (Spodoptera litura). The title compound II at 500 ppm gave ≥ 90% control of Plutella xylostella.

IT 314762-88-4P 314762-89-5P 314762-90-8P
314762-91-9P 314762-92-0P 314762-93-1P
314763-03-6P 314763-04-7P 314763-05-8P
314763-06-9P 314763-07-0P
RL: AGR (Agricultural use); BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of heterocyclic dicarboxylic acid diamide derivs. as agricultural and horticultural insecticides)

RN 314762-88-4 CAPLUS
CN 2,3-Furandicarboxamide, N3-(1-methylethyl)-N2-[2-methyl-4-(pentafluoroethyl)phenyl]- (9CI) (CA INDEX NAME)



RN 314762-89-5 CAPLUS
CN 2,3-Furandicarboxamide, 4,5-dimethyl-N3-(1-methylethyl)-N2-[4-(trifluoromethoxy)phenyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 12 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 314762-90-8 CAPLUS
CN 2,3-Furandicarboxamide, N3-(1,1-dimethylethyl)-N2-[2-methyl-4-(pentafluoroethyl)phenyl]- (9CI) (CA INDEX NAME)



RN 314762-91-9 CAPLUS
CN 2,3-Thiophenedicarboxamide, N3-(1-methylethyl)-N2-[2-methyl-4-(pentafluoroethyl)phenyl]- (9CI) (CA INDEX NAME)



RN 314762-92-0 CAPLUS
CN 2,3-Thiophenedicarboxamide, 4-iodo-N3-(1-methylethyl)-N2-[2-methyl-4-(pentafluoroethyl)phenyl]- (9CI) (CA INDEX NAME)



RN 314762-93-1 CAPLUS
CN 2,3-Thiophenedicarboxamide, N3-(1,1-dimethylethyl)-N2-[2-methyl-4-(pentafluoroethyl)phenyl]- (9CI) (CA INDEX NAME)



RN 314763-03-6 CAPLUS
CN 2,3-Furandicarboxamide, 4,5-dimethyl-N2-(1-methylethyl)-N3-[4-(trifluoromethoxy)phenyl]- (9CI) (CA INDEX NAME)



RN 314763-04-7 CAPLUS
CN 2,3-Furandicarboxamide, N2-(1-methylethyl)-N3-[2-methyl-4-(1,1,2,2-tetrafluoroethoxy)phenyl]- (9CI) (CA INDEX NAME)



RN 314763-05-8 CAPLUS
CN 2,3-Thiophenedicarboxamide, N2-(1-methylethyl)-N3-[2-methyl-4-(pentafluoroethyl)phenyl]- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT



RN 314763-06-9 CAPLUS
CN 2,3-Thiophenedicarboxamide, N2,N2-diethyl-N3-[2-methyl-4-(pentafluoroethyl)phenyl]- (9CI) (CA INDEX NAME)



RN 314763-07-0 CAPLUS
CN 2,3-Thiophenedicarboxamide, N2,N2-diethyl-N3-[2-methyl-4-(trifluoromethoxy)phenyl]- (9CI) (CA INDEX NAME)

=> d l6 13-23 ibib abs hitstr

L6 ANSWER 13 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2000:861644 CAPLUS
DOCUMENT NUMBER: 134:29705
TITLE: Preparation of squaric acid derivatives as cell adhesion molecules
INVENTOR(S): Langham, Barry John; Alexander, Rikki Peter; Head, John Clifford; Linsley, Janeen Marsha; Porter, John Robert; Archibald, Sarah Catherine; Warrelow, Graham John
PATENT ASSIGNEE(S): Celltech Chiroscience Limited, UK
SOURCE: PCT Int. Appl., 144 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000073260	A1	20001207	WO 2000-GB2020	20000526
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6518283	B1	20030211	US 2000-579317	20000525
CA 2375218	A1	20001207	CA 2000-2375218	20000526
EP 1181266	A1	20020227	EP 2000-935341	20000526
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
JP 2003500467	T	20030107	JP 2000-621327	20000526
AU 776704	B2	20040916	AU 2000-50889	20000526
US 2003162799	A1	20030828	US 2002-319272	20021213

PRIORITY APPLN. INFO.:

GB 1999-12640	A	19990528
GB 2000-2858	A	20000208
US 2000-579317	A3	20000525
WO 2000-GB2020	W	20000526

OTHER SOURCE(S): MARPAT 134:29705
GI



I

AB Squaric acid derivs. I [R1 is an integrin binding group; R2 is a hydrogen atom or a C1-6 alkyl group; L1 is a covalent bond or a linker atom or group; n = 0, 1; Alk1 is an optionally substituted aliphatic chain; R3 is H or an optionally substituted heteroaliph., cycloaliph., heterocycloaliph., polycycloaliph., polyheterocycloaliph., aromatic or heteroarom. group] and their salts, solvates, hydrates and N-oxides were prepared as inhibitors of the binding of integrins to their ligands. Thus, treatment of Et (S)-3-(4-aminophenyl)-2-(tert-butoxycarbonylamino)propionate with

L6 ANSWER 13 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
3,5-dichloro-4-pyridinecarboxylic acid, deprotection, reaction with 3,4-diisopropoxy-3-cyclobutene-1,2-dione, propylamination, and sapon. afforded (S)-3-[4-(3,5-dichloro-4-pyridylcarboxamido)phenyl]-2-(2-propylamino-3,4-dioxocyclobut-1-enylamino)propanoic acid. Compds. of the invention in which R1 is an α4 integrin binding group generally have IC50 values <1 μM in the α4β1 and α4β7 assays.

IT 312294-76-1P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of squaric acid derivs. as cell adhesion mols.)

RN 312294-76-1 CAPLUS
CN L-Phenylalanine, 4-[[(2-acetyl-3-thienyl)carbonyl]amino]-N-[3,4-dioxo-2-(propylamino)-1-cyclobuten-1-yl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2000:824101 CAPLUS
DOCUMENT NUMBER: 134:5154
TITLE: Preparation of cyclic amine derivatives as remedies or preventives for diseases in association with chemokines or chemokine receptors
INVENTOR(S): Shiota, Tatsuki; Miyagi, Fuminori; Kamimura, Takashi; Ohta, Tomohiro; Takano, Yasuhiro; Horiuchi, Hideki
PATENT ASSIGNEE(S): Teijin Limited, Japan
SOURCE: PCT Int. Appl., 405 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000069432	A1	20001123	WO 2000-JP3203	20000518
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2373942	A1	20001123	CA 2000-2373942	20000518
EP 1179341	A1	20020213	EP 2000-927808	20000518
EP 1179341	B1	20051109		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, MC, PT, IE, SI, LT, LV, FI, RO				
NZ 515374	A	20040924	NZ 2000-515374	20000518
AU 779954	B2	20050224	AU 2000-46147	20000518
AT 308985	T	20051115	AT 2000-927808	20000518
ES 2250132	T3	20060416	ES 2000-927808	20000518
NO 2001005599	A	20011116	NO 2001-5599	20011116

PRIORITY APPLN. INFO.:

JP 1999-175856	A	19990518
JP 1999-251464	A	19990906
WO 2000-JP3203	W	20000518

OTHER SOURCE(S): MARPAT 134:5154
GI



I

AB Remedies or preventives for diseases in association with chemokines such as MIP-1α and/or MCP-1 or chemokine receptors such as CCR1 or CCR2 contain as the active ingredient N-acyl-amino acid N-cyclic amino or N-cyclic aminoalkyl-amide derivs. represented by general formula [I; (un)substituted Ph, C3-8 cycloalkyl, aromatic heterocyclyl containing 1-3 heteroatoms selected from O, S, and/or N; R2 = H, (un)substituted C1-6 alkyl, C2-7 alkoxycarbonyl, HO, (un)substituted Ph; p1, m1 = 0-2; m = 2-4; n = 0, 1; R3 = H, (un)substituted C1-6 alkyl; R4, R5 = H, OH, (un)substituted Ph or C1-6 alkyl; or R4 and R5 are combined together to

L6 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
form a 3- to 5-membered hydrocarbyl; p, q = 0,1; G = CO, SO2, CO2, NR7CO, CONR7, NR7SO2, or SO2NR7, NHCONH, NHCSNH, NH CO2, O2CNH; R7 = H, C1-6 alkyl; or R7 and R5 are combined together to form C2-5 alkylene; R6 = (un)substituted Ph, C3-8 cycloalkyl, C3-6 cycloalkenyl, CH2Ph, or arom. heterocyclyl contg. 1-3 heteroatoms selected from O, S, and/or N, wherein Ph, CH2Ph, or arom. heterocyclyl group is optionally fused with (un)substituted benzene or arom. heterocyclyl contg. 1-3 heteroatoms selected from O, S, and/or N], pharmaceutically acceptable acid-adducts thereof, or pharmaceutically acceptable C1-6 alkyl-adducts thereof. The above diseases include destruction of bone or cartilage (e.g. arthritis, rheumatoid arthritis, osteoarthritis, osteoporosis, injury, and tumor), nephritis, kidney diseases, glomerulus or interstitial nephritis, nephrotic syndrome, demyelinating disease, or multiple sclerosis. Thus, N-3-ethoxybenzyl-D-methionine-N-[1-(4-chlorobenzyl)-4-piperazinylmethyl]amide in vitro inhibited the binding of human MIP-1α to THP-1 cells by >80% at 2 μM.

IT 226231-48-7P 226232-26-4P 226232-88-8P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of cyclic amine derivs. as remedies or preventives for diseases
in association with chemokines or chemokine receptors)

RN 226231-48-7 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)



L6 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 2-A



RN 226232-26-4 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-1-methyl-2-oxoethyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 226232-88-8 CAPLUS

L6 ANSWER 14 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]carbonyl]-2-methylpropyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



REFERENCE COUNT: 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 15 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2000:756524 CAPLUS
DOCUMENT NUMBER: 133:321878
TITLE: Preparation of cyclic protein tyrosine kinase inhibitors
INVENTOR(S): Das, Jagabandhu; Padmanabha, Ramesh; Chen, Ping; Norris, Derek J.; Doweyko, Arthur M. P.; Barrish, Joel C.; Wityak, John
PATENT ASSIGNEE(S): Bristol-Myers Squibb Co., USA
SOURCE: PCT Int. Appl., 300 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000062778	A1	20001026	WO 2000-US9753	20000412
W: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2366932	A1	20001026	CA 2000-2366932	20000412
AU 200042338	A	20001102	AU 2000-42338	20000412
AU 779089	B2	20050106		
EP 1169038	A1	20020109	EP 2000-922102	20000412
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
BR 2000009721	A	20020213	BR 2000-9721	20000412
TR 200102969	T2	20020821	TR 2001-2969	20000412
JP 2002542193	T	20021210	JP 2000-611914	20000412
HU 200202708	A2	20021228	HU 2002-2708	20000412
NZ 513639	A	20040227	NZ 2000-513639	20000412
RU 2260592	C2	20050920	RU 2001-130452	20000412
ZA 2001007204	A	20021202	ZA 2001-7204	20010830
IN 2001MN01138	A	20050304	IN 2001-MN1138	20010919
NO 2001004970	A	20011210	NO 2001-4970	20011012
NO 322470	B1	20061009		
US 2005261305	A1	20051124	US 2005-138793	20050525
US 2005288303	A1	20051229	US 2005-138942	20050526
US 7153856	B2	20061226		
US 2006079563	A1	20060413	US 2005-271626	20051110
PRIORITY APPLN. INFO.:			US 1999-129510P	P 19990415
			WO 2000-US9753	W 20000412
			US 2000-548929	A1 20000413
			US 2003-378373	A1 20030303

OTHER SOURCE(S): MARPAT 133:321878
GI

L6 ANSWER 15 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



I



II

AB The title compds. [I; Q = (un)substituted 5-6 membered heteroaryl, aryl; Z = a single bond, R15C:CH, (CH2)m (m = 1-2); X1, X2 = H; X1 and X2 together = O, S; R1 = H, alkyl, alkenyl, etc.; R2, R3 = H, alkyl, alkenyl, etc.; R4, R5 = H, alkyl, alkenyl, etc.], useful in the treatment of protein tyrosine kinase-associated disorders such as immunol. and oncol. disorders (no data), were prepared E.g., a multi-step synthesis of thiazole II was given. Compds. I are effective at 0.1-100 mg/kg/day.
IT 302959-65-5P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of cyclic protein tyrosine kinase inhibitors)
RN 302959-65-5 CAPLUS
CN 5-Thiazolecarboxamide, 2-[[(2-acetyl-3-thienyl)carbonyl]amino]-4-methyl-N-(2,4,6-trimethylphenyl)- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 16 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:487274 CAPLUS
DOCUMENT NUMBER: 131:116520
TITLE: Preparation of phenylalanine derivatives as pharmaceutical agents
INVENTOR(S): Head, John Clifford; Archibald, Sarah Catherine; Warrellow, Graham John; Porter, John Robert
PATENT ASSIGNEE(S): Celltech Therapeutics Limited, UK
SOURCE: PCT Int. Appl., 65 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9937618	A1	19990729	WO 1999-GB279	19990127
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
US 6329372	B1	20011211	US 1999-237060	19990126
AU 9924320	A	19990809	AU 1999-24320	19990127
EP 1051399	A1	20001115	EP 1999-903798	19990127
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
JP 2002501051	T	20020115	JP 2000-528542	19990127
US 2002035127	A1	20020321	US 2001-964161	20010926

PRIORITY APPLN. INFO.:

GB 1998-1674	A	19980127
GB 1998-26669	A	19981203
US 1999-237060	A1	19990126
WO 1999-GB279	W	19990127

OTHER SOURCE(S): MARPAT 131:116520

AB Phenylalanine derivs. 4-[R1(Alk1)rL1s]C6H2RaRb(Alk2)mCHRR2NR3COHet [R is a carboxylic acid or derivative; R1 = H, OH, alkoxy or optionally substituted cycloaliph., polycycloaliph., heterocycloaliph., polyheterocycloaliph., arom, or heteroarom. group; Alk1 = optionally substituted aliphatic or heteroaliph. chain; L1 is a linker atom or group; r, s = 0, 1; Ra, Rb = -L2(CH2)pL3Rcq, where L2, L3 = a covalent bond or linker atom or group; p = 0, 1; q = 1-3; Rc = H, halo, alkyl, OH, alkoxy, etc.; Alk2 = alkylene; m = 0, 1; R2 = H, Me; R3 = H, alkyl; Het is an optionally substituted heteroarom. group] and their salts, solvates, hydrates and N-oxides were prepared as pharmaceutical agents. Thus, N-(2-chloronicotinoyl)-N'-(3,5-dichloro-4-picolyl)-L-4-aminophenylalanine was prepared by coupling reaction of N-(3,5-dichloro-4-picolyl)-L-4-aminophenylalanine Me ester with 2-chloronicotinoyl chloride followed by ester hydrolysis. Title compds. were tested for inhibition of integrin-dependent cell adhesion and generally have IC50 values in the α4β1 and α4β7 assays of 1μM and below.

IT 232617-97-9P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of phenylalanine derivs. as pharmaceutical agents)

RN 232617-97-9 CAPLUS

L6 ANSWER 16 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

CN L-Phenylalanine, N-[[2-acetyl-3-thienyl)carbonyl]-4-[[(3,5-dichloro-4-pyridinyl)carbonyl]amino]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 17 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1999:350650 CAPLUS
DOCUMENT NUMBER: 131:18925
TITLE: Preparation of cyclic amine derivatives for inhibition of the action of chemokines such as MIP-1α and/or MCP-1 on target cells
INVENTOR(S): Shiota, Tatsuki; Kataoka, Kenichiro; Imai, Minoru; Tsutsumi, Takaharu; Sudoh, Masaki; Sogawa, Ryo; Morita, Takuya; Hada, Takahiko; Muroga, Yumiko; Takenouchi, Osami; Furuya, Monoru; Endo, Noriaki; Tarby, Christine M.; Horee, Wil A.; Teig, Steven L.
PATENT ASSIGNEE(S): Teijin Ltd., Japan; Combichem, Inc.
SOURCE: PCT Int. Appl., 374 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 2
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9925686	A1	19990527	WO 1998-US23254	19981117
W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW				
RW: GH, GM, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2309328	A1	19990527	CA 1998-2309328	19981117
AU 9913741	A	19990607	AU 1999-13741	19981117
AU 744685	B2	20020228		
EP 1030840	A1	20000830	EP 1998-957495	19981117
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
TR 200001399	T2	20001121	TR 2000-200001399	19981117
HU 200004200	A2	20010328	HU 2000-4200	19981117
BR 9814645	A	20010731	BR 1998-14645	19981117
EE 200000294	A	20010815	EE 2000-294	19981117
JP 2001523661	T	20011127	JP 2000-521070	19981117
JP 3786578	B2	20060614		
RU 2216540	C2	20031120	RU 2000-112403	19981117
CN 1496981	A	20040519	CN 2002-2002118546	19981117
EP 1535909	A2	20050601	EP 2005-75285	19981117
EP 1535909	A3	20050713		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY				
EP 1553085	A1	20050713	EP 2005-75283	19981117
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, LV, FI, MK, CY				
CN 1660815	A	20050831	CN 2004-10082013	19981117
PL 192083	B1	20060831	PL 1998-342207	19981117
HR 2000000214	A1	20011231	HR 2000-214	20000413
NO 2000002486	A	20000718	NO 2000-2486	20000512
BG 104441	A	20010131	BG 2000-104441	20000516
BG 64848	B1	20060630		
US 6451842	B1	20020917	US 2000-554562	20000516

PRIORITY APPLN. INFO.:

US 1997-972484	A	19971118
US 1998-55285	A	19980406
US 1998-133434	A	19980813

L6 ANSWER 17 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

CN 1998-811317	A3	19981117
EP 1998-957495	A3	19981117
WO 1998-US23254	W	19981117

OTHER SOURCE(S): MARPAT 131:18925

GI



I



II

AB The title compds. [I; R1 = (un)substituted Ph, cycloalkyl, heteroaryl, etc.; R2 = H, alkyl, alkoxycarbonyl, etc.; j = 0-2; k = 0-2; m = 2-4; n = 0-1; R3 = H, alkyl; R4, R5 = H, OH< Ph, etc.; p = 0-1; q = 0-1; G = CO, SO, CO2, etc.; R6 = Ph, cycloalkyl, cycloalkenyl, etc.] and their pharmaceutically acceptable acid addition salts which inhibit the action of chemokines such as MIP-1α and/or MCP-1 on target cells and may be useful as a therapeutic drug and/or preventative drug in diseases, such as atherosclerosis, rheumatoid arthritis, and the like where blood monocytes and lymphocytes infiltrate into tissues, were prepared Thus, reaction of N-benzoylglycine with 3-amino-1-(4-chlorobenzyl)pyrrolidine.2HCl in the presence of 3-ethyl-1-[3-(dimethylaminopropyl)]carbodiimide.HCl, 1-hydroxybenzotriazole and Et3N in CHCl3 afforded 95% II which showed 50-80% inhibition of MIP-1α binding to THP-1 cells at 10 μM.

IT 226231-48-7P 226232-26-4P 226232-88-8P
226250-84-6P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of cyclic amine derivs. for inhibition of the action of chemokines such as MIP-1α and/or MCP-1 on target cells)

RN 226231-48-7 CAPLUS

CN 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-2-oxoethyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 226232-26-4 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[2-[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]-1-methyl-2-oxoethyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 226232-88-8 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]carbonyl]-2-methylpropyl]- (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 226250-84-6 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[[[[1-[(4-chlorophenyl)methyl]-4-piperidinyl]methyl]amino]carbonyl]-2-methylpropyl]-, mono(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 226232-88-8
CMF C25 H32 Cl N3 O3 S

PAGE 1-A



PAGE 2-A



CM 2

CRN 76-05-1
CMF C2 H F3 O2

REFERENCE COUNT: 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 18 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1998:115356 CAPLUS
DOCUMENT NUMBER: 128:154011
TITLE: Preparation of 9-thioxanthenecarboxamides and 9-fluorenecarboxamides as inhibitors of microsomal triglyceride transfer protein
INVENTOR(S): Biller, Scott A.; Dickson, John K.; Lawrence, R. Michael; Magnin, David R.; Poss, Michael A.; Robl, Jeffrey A.; Sulsky, Richard B.; Tino, Joseph A.
PATENT ASSIGNEE(S): Bristol-Myers Squibb Co., USA
SOURCE: U.S., 98 pp., Cont.-in-part of U. S. Ser. No.472,067.
CODEN: USXXAM
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 5712279	A	19980127	US 1996-548811	19960111
CA 2091102	A1	19930907	CA 1993-2091102	19930305
HU 67962	A2	19950529	HU 1993-627	19930305
HU 218419	B	20000828		
JP 06038761	A	19940215	JP 1993-46499	19930308
EP 584446	A2	19940302	EP 1993-103697	19930308
EP 584446	A3	19950426		
EP 584446	B1	20020619		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
AT 219514	T	20020715	AT 1993-103697	19930308
PT 584446	T	20020930	PT 1993-103697	19930308
ES 2178640	T3	20030101	ES 1993-103697	19930308
AU 9334064	A	19930909	AU 1993-34064	19930309
AU 670930	B2	19960808		
US 5739135	A	19980414	US 1995-472067	19950606
ZA 9601340	A	19970911	ZA 1996-1340	19960220
LT 4367	B	19980825	LT 1997-152	19970919

PRIORITY APPLN. INFO.:

US 1995-391901	B2 19950221
US 1995-472067	A2 19950606
US 1992-847503	A 19920306
US 1993-117362	A2 19930903
US 1994-284808	B2 19940805

OTHER SOURCE(S): MARPAT 128:154011
GI

L6 ANSWER 18 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



I



II



III

AB The title compds. [I; Z = a bond, S; X1, X2 = H, halo; x = 2-6; (CH2)x is optionally substituted with 1-3 substituents such as alkyl or halo; R5 = (un)substituted heteroaryl, aryl, heterocycloalkyl, cycloalkyl] and their piperidine N-oxides, which inhibit microsomal triglyceride transfer protein and thus are useful for preventing or treating atherosclerosis, pancreatitis secondary to hypertriglyceridemia, hyperglycemia, or obesity, and for lowering serum lipid levels, or preventing and/or treating hyperlipemia, hyperlipidemia, hyperlipoproteinemia, hypercholesterolemia, and/or hypertriglyceridemia, were prepared Thus, reaction of 9-fluorenecarboxamide II (preparation of both reagents is described) with piperidine III in PhMe/DMF afforded the title compound I [Z = a bond; X1 = X2 = H; (CH2)x = (CH2)2CF2CH2; R5 = 2-biphenyl]. Compds. I are effective at 5-500 mg/day.

IT 182431-91-0P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 9-thioxanthenecarboxamides and 9-fluorenecarboxamides as inhibitors of microsomal triglyceride transfer protein)

RN 182431-91-0 CAPLUS
CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[4-[9-[[(2,2,2-trifluoroethyl)amino]carbonyl]-9H-fluoren-9-yl]butyl]-4-piperidinyl]-(9CI) (CA INDEX NAME)

L6 ANSWER 18 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 1-A



PAGE 2-A



REFERENCE COUNT: 37 THERE ARE 37 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 19 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1996:641305 CAPLUS
DOCUMENT NUMBER: 125:275663
TITLE: Preparation of 9-(piperidinoalkyl)fluorene-9-carboxamides and analogs as microsomal triglyceride transfer protein inhibitors
INVENTOR(S): Wetterau, John R. II; Sharp, Daru Young; Gregg, Richard E.; Biller, Scott A.; Dickson, John A.; Lawrence, R. Michael; Magnin, David R.; Poss, Michael A.; Robl, Jeffrey A.; et al.
PATENT ASSIGNEE(S): Bristol-Myers Squibb Company, USA
SOURCE: PCT Int. Appl., 427 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 4
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9626205	A1	19960829	WO 1996-US824	19960201
W: AU, BG, CA, CN, CZ, EE, FI, GE, HU, JP, KR, LT, LV, MX, NO, NZ, PL, RO, RU, SG, SK, UA				
RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE				
CA 2091102	A1	19930907	CA 1993-2091102	19930305
HU 67962	A2	19950529	HU 1993-627	19930305
HU 218419	B	20000828		
JP 06038761	A	19940215	JP 1993-46499	19930308
EP 584446	A2	19940302	EP 1993-103697	19930308
EP 584446	A3	19950426		
EP 584446	B1	20020619		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, MC, NL, PT, SE				
AT 219514	T	20020715	AT 1993-103697	19930308
PT 584446	T	20020930	PT 1993-103697	19930308
ES 2178640	T3	20030101	ES 1993-103697	19930308
AU 9334064	A	19930909	AU 1993-34064	19930309
AU 670930	B2	19960808		
US 5739135	A	19980414	US 1995-472067	19950606
AU 9647631	A	19960911	AU 1996-47631	19960201
AU 699865	B2	19981217		
EP 886637	A1	19981230	EP 1996-903604	19960201
EP 886637	B1	20041201		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE				
JP 11500442	T	19990112	JP 1996-525679	19960201
NZ 302055	A	20000228	NZ 1996-302055	19960201
PL 185443	B1	20030530	PL 1996-322003	19960201
AT 283851	T	20041215	AT 1996-903604	19960201
ZA 9601340	A	19970911	ZA 1996-1340	19960220
FI 9703416	A	19970820	FI 1997-3416	19970820
NO 9703821	A	19970820	NO 1997-3821	19970820
LT 4367	B	19980825	LT 1997-152	19970919

PRIORITY APPLN. INFO.:

US 1995-391901	A 19950221
US 1995-472067	A 19950606
US 1992-847503	A 19920306
US 1993-117362	A2 19930903
US 1994-284808	B2 19940805
WO 1996-US824	W 19960201

OTHER SOURCE(S): MARPAT 125:275663
GI



I

AB R5Z3NRR6 [R = piperidyl group Q1; R5 = alkyl, alkoxy, (hetero)aryl, etc.; R6 = H, alk(en)yl; R5R6 = atoms to form a benzanellated ring; Z3 = CO or SO2; 1 of Z4,Z5 = NR1 and the other = CH2; R1 = e.g., (un)substituted aryl group Q2; R12 = H, (halo)alkyl, heteroaryl, etc.; Z = bond, O, S, alkylimino, etc.; Z1,Z2 = bond, O, SO0-2, CO, etc.; Z11 = bond, alkylene, arylene, etc.] were prepared as microsomal triglyceride transfer protein inhibitors (no data). Thus, N-propyl-9-fluorenecarboxamide (preparation given) was alkylated by I(CH2)4OSiMe2CMe3 (preparation given) and the deprotected and iodinated product aminated by 2-(4-piperidinyl)-2,3-dihydro-1H-isoindol-1-one (preparation given) to give title compound I.

IT 182431-91-0P 182435-53-6P 182437-40-7P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of 9-(piperidinoalkyl)fluorene-9-carboxamides and analogs as microsomal triglyceride transfer protein inhibitors)

RN 182431-91-0 CAPLUS

CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[4-[9-[[(2,2,2-trifluoroethyl)amino]carbonyl]-9H-fluoren-9-yl]butyl]-4-piperidinyl]-(9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



RN 182435-53-6 CAPLUS

CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[4-[9-[[(2,2,2-trifluoroethyl)amino]carbonyl]-9H-fluoren-9-yl]butyl]-4-piperidinyl]-, monohydrochloride (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



● HCl

RN 182437-40-7 CAPLUS

CN 3-Thiophenecarboxamide, 2-acetyl-N-[1-[4-[9-[[(2,2,2-trifluoroethyl)amino]carbonyl]-9H-fluoren-9-yl]butyl]-4-piperidinyl]-, dihydrochloride (9CI) (CA INDEX NAME)

PAGE 1-A



PAGE 2-A



●2 HCl

L6 ANSWER 20 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1993:157721 CAPLUS

DOCUMENT NUMBER: 118:157721

TITLE: Silver halide color photographic material

INVENTOR(S): Sakai, Shuichi

PATENT ASSIGNEE(S): Fuji Photo Film Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 82 pp.
CODEN: JKXXAF

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 04301839	A	19921026	JP 1991-89089	19910329

PRIORITY APPLN. INFO.: JP 1991-89089 19910329

GI



I



II

AB In the title material comprising a reflective support having thereon cyan coupler-containing silver halide emulsion layers, yellow coupler-containing silver halide emulsion layers, etc., the cyan coupler-containing silver halide layers contain one or more couplers represented by general structures I and II. For I, R1 = alkyl, alkenyl, alkynyl, etc.; X = a single bond, O, S, SO, etc.; R2 = a substituent on the benzene ring; t = 0 to 4. For II, X = C, N; Y = atoms which, together with C and X, form a 3- to 8-membered heterocyclic ring. For I and II, R3 = aryl; Z = H or a group to be released upon coupling reaction. The yellow coupler-containing silver halide emulsion layers in the title material contain an anilide coupler. The title material gives stable images.

IT 146558-33-0
RL: TEM (Technical or engineered material use); USES (Uses)
(photog. coupler)

RN 146558-33-0 CAPLUS

CN 2-Furancarboxylic acid, 3-[[[2-chloro-4-[[[(4-chlorophenyl)amino]carbonyl]amino]-5-hydroxyphenyl]amino]carbonyl]-, 2-hexyldecyl ester (9CI) (CA INDEX NAME)

L6 ANSWER 20 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

PAGE 1-A



PAGE 2-A



L6 ANSWER 21 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1992:407793 CAPLUS
DOCUMENT NUMBER: 117:7793
TITLE: Preparation of furan- and thiophenedicarboximides as herbicides
INVENTOR(S): Muenster, Peter; Freund, Wolfgang; Steiner, Gerd; Walter, Helmut; Westphalen, Karl Otto; Gerber, Matthias
PATENT ASSIGNEE(S): BASF A.-G., Germany
SOURCE: Eur. Pat. Appl., 49 pp.
CODEN: EPXXDW
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
EP 467206	A2	19920122	EP 1991-111462	19910710
EP 467206	A3	19920722		
EP 467206	B1	19961218		
R: AT, BE, CH, DE, ES, FR, GB, IT, LI, NL				
DE 4023048	A1	19920123	DE 1990-4023048	19900720
AT 146475	T	19970115	AT 1991-111462	19910710
CA 2047452	A1	19920121	CA 1991-2047452	19910719
HU 58190	A2	19920228	HU 1991-2433	19910719
HU 209630	B	19940928		
JP 04234393	A	19920824	JP 1991-179867	19910719
JP 3088139	B2	20000918		
US 5276009	A	19940104	US 1991-732794	19910719
JP 2000297087	A	20001024	JP 2000-83348	19910719
JP 3169364	B2	20010521		
US 5386036	A	19950131	US 1993-110008	19930823

PRIORITY APPLN. INFO.: DE 1990-4023048 A 19900720
JP 1991-179867 A3 19910719
US 1991-732794 A3 19910719

OTHER SOURCE(S): CASREACT 117:7793; MARPAT 117:7793
GI



AB Title compds. [I, II; X = O, S; R1 = H, OH, (substituted) (cyclo)alkyl, heterocyclyl; R2, R3 = NO2, cyano, halo, (alkyl- or alkoxycarbonyl-substituted) amino, (halo)alkoxy, (halo)alkylthio, (substituted) alkenyl, alkynyl, Ph, PhO, PhS, R1], were prepared as herbicides. Thus, 4-isopropylaminocarbonylthiophene-3-carboxylic acid was refluxed with SOCl2 in ClCH2CH2Cl to give 88% title compound III. I were effective against broadleaf weeds at 0.01-2 kg/ha.

IT 135278-21-6P 135278-53-4P 135278-54-5P
135278-55-6P 135278-56-7P 135278-58-9P
135278-59-0P 135278-60-3P 139993-22-9P

L6 ANSWER 21 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)

139993-23-0P 139993-24-1P 139993-25-2P
139993-26-3P 139993-27-4P 139993-28-5P
139993-29-6P 139993-30-9P 139993-31-0P
139993-32-1P 139993-33-2P 139993-34-3P
139993-35-4P 139993-36-5P 139993-37-6P
140128-97-8P
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of, as intermediate for dicarboximide herbicide)

RN 135278-21-6 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-53-4 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(1-methylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-54-5 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[3-(trifluoromethyl)phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-55-6 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 21 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 135278-56-7 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-58-9 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-59-0 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[[[3-(trifluoromethyl)phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-60-3 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[[(1-methylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-22-9 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-cyano-3-[[(1-methylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-23-0 CAPLUS
CN 2-Thiophenecarboxylic acid, 5-chloro-3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-24-1 CAPLUS
CN 2-Thiophenecarboxylic acid, 4,5-dichloro-3-[[[3-(trifluoromethyl)phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-25-2 CAPLUS
CN 2-Thiophenecarboxylic acid, 5-bromo-3-[(cyclopropylamino)carbonyl]- (9CI) (CA INDEX NAME)

CN 2-Thiophenecarboxylic acid, 4,5-dichloro-3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-30-9 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[(cyclopropylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-31-0 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[(cyclopropylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-32-1 CAPLUS
CN 2-Thiophenecarboxylic acid, 5-bromo-3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)





RN 139993-26-3 CAPLUS
CN 2-Thiophenecarboxylic acid, 5-bromo-3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-27-4 CAPLUS
CN 2-Thiophenecarboxylic acid, 4,5-dichloro-3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-28-5 CAPLUS
CN 2-Thiophenecarboxylic acid, 4,5-dichloro-3-[(cyclopropylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-29-6 CAPLUS

RN 139993-33-2 CAPLUS
CN 2-Furancarboxylic acid, 3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-34-3 CAPLUS
CN 2-Furancarboxylic acid, 3-[[(4-chlorophenyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-35-4 CAPLUS
CN 2-Furancarboxylic acid, 3-[[(2-fluorophenyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 139993-36-5 CAPLUS
CN 2-Furancarboxylic acid, 3-[(cyclohexylamino)carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 21 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 139993-37-6 CAPLUS
CN 2-Furancarboxylic acid, 3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 140128-97-8 CAPLUS
CN 2-Furancarboxylic acid, 3-[[(1-cyano-1-methylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



L6 ANSWER 22 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1991:471383 CAPLUS
DOCUMENT NUMBER: 115:71383
TITLE: Preparation of thiophene- and tetrahydrofurancarboxylic acid amides as herbicides
INVENTOR(S): Muenster, Peter; Steiner, Gerd; Freund, Wolfgang; Wuerzer, Bruno; Westphalen, Karl Otto
PATENT ASSIGNEE(S): BASF A.-G., Germany
SOURCE: Ger. Offen., 53 pp.
CODEN: GWXXBX
DOCUMENT TYPE: Patent
LANGUAGE: German
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 3933573	A1	19910418	DE 1989-3933573	19891007
EP 423523	A2	19910424	EP 1990-118654	19900928
EP 423523	A3	19920219		
R: BE, CH, DE, ES, FR, GB, IT, LI, NL, SE				
CA 2026829	A1	19910408	CA 1990-2026829	19901003
US 5201934	A	19930413	US 1990-592287	19901003
HU 55377	A2	19910528	HU 1990-6362	19901005
JP 03127787	A	19910530	JP 1990-266572	19901005
US 5258357	A	19931102	US 1992-947538	19920921

PRIORITY APPLN. INFO.: DE 1989-3933573 A 19891007
US 1990-592287 A1 19901003

OTHER SOURCE(S): MARPAT 115:71383
GI



AB Preparation of title compds. I-III (X = O, S, R1 = H, alkyl, cycloalkyl, R2 = OH, alkoxy, cyanoalkyl, substituted alkenyl, alkynyl, Ph, naphthyl etc.; R1R2 = 4-7 ring compound; R3, R4 = NO2, CN, halo, substituted amino, alkoxy, alkylthio, heterocyclic etc.; R5 = formyl, 4,5-dihydrooxazol-2-yl, alkoxycarbonyl, thiocarbonyl, carboxy etc.) as herbicides are claimed. Thus, reaction of thiophene-3,4-dicarboxylic acid with Ac2O gave 98% thiophene-3,4-dicarboxylic acid anhydride which on amidation with 4-ClC6H4NH2 in PhMe gave 100% I (R1 = R3 = R4 = H, R2 = 4-ClC6H4, R5 = CO2H, X = S).
IT 135278-21-6P 135278-53-4P 135278-54-5P
135278-55-6P 135278-56-7P 135278-57-8P
135278-58-9P 135278-59-0P 135278-60-3P
RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); BIOL (Biological

L6 ANSWER 22 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
study); PREP (Preparation)
(prepn. and herbicidal activity of)
RN 135278-21-6 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-53-4 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(1-methylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-54-5 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[[3-(trifluoromethyl)phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-55-6 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 22 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 135278-56-7 CAPLUS
CN 2-Thiophenecarboxylic acid, 3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-57-8 CAPLUS
CN 3-Thiophenecarboxamide, 2-[[(2,5-dioxo-1-pyrrolidinyl)oxy]carbonyl]-N-(1-methylethyl)- (9CI) (CA INDEX NAME)



RN 135278-58-9 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[[(1,1-dimethylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



RN 135278-59-0 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[[[3-(trifluoromethyl)phenyl]amino]carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 22 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)



RN 135278-60-3 CAPLUS
CN 2-Thiophenecarboxylic acid, 4-chloro-3-[[(1-methylethyl)amino]carbonyl]- (9CI) (CA INDEX NAME)



L6 ANSWER 23 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN (Continued)
CN 2-Furancarboxylic acid, 3-[(phenylamino)carbonyl]- (9CI) (CA INDEX NAME)

L6 ANSWER 23 OF 23 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 1927:23577 CAPLUS
DOCUMENT NUMBER: 21:23577
ORIGINAL REFERENCE NO.: 21:2896e-i,2897a-b
TITLE: Elsholtzia ketone, a contribution to furan chemistry
AUTHOR(S): Asahina, Yasuhiko; Murayama, Y.; Shibata, B.; Kariyone, T.; Kuwada, S.; Asano, M.
SOURCE: Acta Phytochimica (1924), 2, 1-23
CODEN: APCJA8; ISSN: 0365-5393
DOCUMENT TYPE: Journal
LANGUAGE: Unavailable
AB The oil of Elsholtzia cristata contains a furan ketone, C10H14O2, elsholtzia ketone, which with KMnO4 yielded isovaleric acid. This indicated that the ketone is a methylfuran iso-Bu compound, but the location of the Me and ketonic groups on the furan nucleus had not been established. EtONO and Na produced isobutyraldoxime and C6H6O3, elsholtzia acid (I), together with some ester. I gave a K salt, C6H5O3Na, C6H5O3Na.H2O. (C6H5O3)2Ca, (C6H3O2)2Ba, (C6H5O3)2Pb.H2O. C6H5O3Ag, (C6H5O3)2Cu, (C6H5O3)2Cu.6H2O (C6H5O3)2FeOH and (C6H5O3)2Fe2O.9H2O, Me ester, m. 36-8°, while the Et ester, C8H10O3, m. 47-8°, b. 205°SOCl2 produced a chloride, C6H5O2Cl, (II), m. 21-2°, b. 192°. NH3 with II gave an amide, m. 85-6°, and PhNH2 gave an anilide, m. 91°. With H2SO4 II gave an amide, m. 85-6°, and PhNH2 gave an anilide, m. 91°. With H2SO5 yielded a sirup, presumably impure citraconic acid, which, on catalytic reduction, produced pyrotartatic acid. I is a methylfurancarboxylic acid. Various unsuccessful attempts were made to determine the orientation of this acid by preparing a furylacrylic acid. In this connection the Et ester of I was condensed with AcOEt producing C4H2O(Me)COCH2CO2Et, Et elsholtzicylacetate, yellowish and viscous, b15 145-50°, d417 1.1437, nD19 1.50044. An alc. solution gave a violet-red color with FeCl3. NH2OH did not yield an oxime, but when heated produced an isoxazolone derivative, C8H7NO3, m. 95°. By treating II, hot, in direct sunlight with Br2 an oil was obtained, which, with hot H2O, yielded C6H4O4, furan-3-aldehyde-2-carboxylic acid (III) m. 158°. The aqueous solution reduced NH3-AgNO3 and reddened Shiff's reagent. It gave a yellow phenylhydrazone, C12H10O3N2, sintering 166°, and m. 171° (decomposition). The oxime, C6H4O4N, m. 225°, and heated with Ac2O yielded 3-cyano-2-furancarboxylic acid, C6H3O3N, m. 183°. With NH3-AgNO3 III produced C6H4O5, furan-2,3-dicarboxylic acid, m. 221°. This acid did not give an anhydride with AcCl or Ac2O; it sublimed unchanged in vacuo. Fused with resorcinol and ZnCl2 it gave a substance fluorescing yellowish green with alkalies. The di-Me ester, m. 37°, and the monoanilide, m. 170°. The identity of this acid was proved by its synthesis by similar reactions from 2-methylfuran-3-carboxylic acid. As an intermediate product in this synthesis, there resulted yellow C6H6O4Br, 2-hydroxymethylbromofuran-3-carboxylic acid, m. 116°, and without reducing power the acetate, C8H7O5Br, m. 94-5°. Heating I in a closed tube at 210-30° produced 3-methylfuran, C5H6O, b. 65.5°, d418 0.923, nD18 1.4255, mol. refraction 22.74. This colored a pine splint moistened with HCl blue-green, and a saturated vanillin solution in concentrated HCl first red, then violet. This color-reagent proved more valuable than the pine splint and the effects of 21 furan derivs. upon it are recorded. I is 3-methylfuran-2-carboxylic acid, and elsholtzia ketone is 3-methyl-2-isovalerylfuran.
IT 139993-33-2P, Pyromucic acid, 3-phenylcarbamyl-
RL: PREP (Preparation)
(preparation of)
RN 139993-33-2 CAPLUS